

L Number	Hits	Search Text	DB	Time stamp
5	27464	motor and ((three or U or V or W) adj phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 10:49
6	2165	(motor and ((three or U or V or W) adj phase)) and 310/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 10:52
7	1811	((motor and ((three or U or V or W) adj phase)) and 310/\$.ccls.) and @pd<20000101	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 10:52
8	962	((motor and ((three or U or V or W) adj phase)) and 310/\$.ccls.) and @pd<20000101) and control	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 10:53
9	128	((motor and ((three or U or V or W) adj phase)) and 310/\$.ccls.) and @pd<20000101) and control) and yoke and winding	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 10:53
-	1317	310/90.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:40
-	2505	310/90.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:40
-	841	310/66.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:40
-	1448	310/40r.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:40
-	389	310/10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:41
-	524	310/90.5.ccls. and (rotor and (magnetic adj bearing))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:46
-	218	(310/90.5.ccls. and (rotor and (magnetic adj bearing))) and (winding)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:47
-	637	(rotor and (magnetic adj bearing) and winding)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:47
-	341	((rotor and (magnetic adj bearing) and winding)) and (ring)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:48
-	143	((310/90.5.ccls. and (rotor and (magnetic adj bearing))) and (winding)) and (ring)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/08/08 07:48
-	6	("4353602" "5072146" "5471105" "5818137" "5965047" "6022413").PN.	USPAT	2002/08/08 08:28

-	32	("0793139" "1659938" "2340781" "3215901" "3384427" "3496799" "3497026" "3500525" "3589300" "3597023" "3602067" "3609426" "3663075" "3672241" "3675935" "3679960" "3682518" "3683216" "3694042" "3698262" "3721984" "3724288" "3731984" "3737694" "3741034" "3749194" "3767212" "3779618" "3782737" "3785709" "3788162" "3811740").PN.	USPAT	2002/08/08 08:35
-	3	("2856239" "3476449" "3629753").PN.	USPAT	2002/08/08 08:52
-	4	("2133879" "2665929" "1014850" "1879625").PN.	USPAT	2002/08/08 08:52

bead

bead (bēd) *noun*

1. **a.** A small, often round piece of material, such as glass, plastic, or wood, that is pierced for stringing or threading. **b. beads.** A necklace made of such pieces. **c. beads.** *Roman Catholic Church.* A rosary. **d. Obsolete.** A prayer. Often used in the plural.
2. A small, round object, especially:
a. A drop of moisture: *beads of sweat.* **b.** A bubble of gas in a liquid. **c.** A small metal knob on the muzzle of a firearm, such as a rifle, used for sighting.
3. A strip of material, usually wood, with one molded edge placed flush against the inner part of a door or window frame.
4. *Architecture.* **a.** A decoration consisting of a usually continuous series of small spherical shapes, as on a convex molding. **b.** Beading.
5. A projecting rim or lip, as on a pneumatic tire.
6. A line of continuously-applied ductile material, such as solder or caulking compound.
7. *Chemistry.* A globule of fused borax or other flux used in a bead test.

verb, transitive & intransitive

bead·ed, bead·ing, beads

To furnish with or collect into beads.

— *idiom.*

draw a bead on or **get a bead on**

To take careful aim at.

[Middle English *bede*, rosary bead, prayer, from Old English *bed*, *bedu*, *gebed*, prayer.]

The American Heritage® Dictionary of the English Language, Third Edition copyright © 1992 by Houghton Mifflin Company. Electronic version licensed from INSO Corporation; further reproduction and distribution restricted in accordance with the Copyright Law of the United States. All rights reserved.